

TUG "CHRISTOS XL"



CHRISTOS XL SPANOPOULOS TUGS M.C.

DATE:10.05.17

SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE OR LIABILITY

CHRISTOS XL - General Information

<u>BASIC FUNCTIONS</u>	
Towing	
<u>DIMENSIONS</u>	
LENGTH O.A.	28.40 m
LENGTH P.P.	25.00 m
BREADTH (MOULDED)	8.50 m
DEPTH TO MAIN DECK	4.20 m
SUMMER DRAUGHT	3.25 m
GROSS TONNAGE	194
NET TONNAGE	58
<u>DESIGN / OWNERS / FLAG</u>	
PLACE OF BUILT	HOLLAND
BUILDERS	B.V. SCHEEPESWERF JONKER & STANDS
YEAR OF BUILT	1981
HULL NUMBER	356
OWNERS	CHRISTOS XVIII SPANOPOULOS TUGS M.C.
FLAG	GREEK
CALL LETTER	SVA 7502
PORT OF REGISTRY / NUMBER OF REGISTRY	PIRAEUS / 11723
IMO No.	8012011
<u>CLASSIFICATION SOCIETY</u>	
INSB on behalf of Greek Flag	
<u>VOYAGES</u>	INTERNATIONAL WITHIN MEDITERRANEAN SEA AND BLACK SEA WITHIN A1+A2 GMDSS AREAS
<u>PERFORMANCES</u>	
MAX. SPEED	11 kn
BOLLARD PULL	30 tons
<u>ACCOMMODATION</u>	
Maximum sleeping accommodation for 7 persons. Mess room/dayroom available.	
<u>TANKS</u>	
WATER BALLAST (100%)	25.84 m ³
FRESH WATER (100%)	14.16 m ³
DIESEL OIL (100%)	77.20 m ³
LUB OIL (100%)	1.87 m ³
FOAM TANK (100%)	11.79 m ³
MISC. TANKS	5.21 m ³
<u>PROPULSION</u>	
2 x Main Engine - STORK WERKSPoor, type: 6FHD240, 670 kW @ 1000 rpm	
2 x Reduction Gear KUYPERs, type: 35400A, Ratio: 4.045:1	
2 x Variable Pitch Propeller (3 Blades)	
2 x Rudders , Becker type	

DATE:10.05.17

SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE OR LIABILITY



KATO POUNTA, AMPELAKIA SALAMIS 18902, TEL.(+30) 210 4095000, FAX.(+30) 210 4095010

E-MAIL: info@spanopoulos-group.com

URL : www.spanopoulos-group.com

CHRISTOS XL – General Information (Cont.)

<u>ELECTRICALS</u>
2 x Diesel generator set – 70 KVA Engine Volvo Penta, type: MD 70 C AC Generator Indar, Type: 250 M / 380V / 50Hz
1 x Diesel generator set , Port – 14 KVA Engine Volvo Penta, type: MD 17 C/HD AC Generator Indar, Type: 180 L / 380V / 50Hz
<u>FIRE FIGHTING</u>
1 x Gear Fire Pump driven from stbd reduction gear: 250 m3/h , H=76m
1 x Electric Driven Pump: 78 m3/h , H=58m
1 x Electric Driven Foam Pump: 12 m3/h , H=90m
2 x Fire Monitor on Top Bridge Deck
<u>DECK EQUIPMENT</u>
1 x Anchor Windlass
1 x Hydraulic Towing Winch, One Drum with capacity: 700m wire rope and 40mm diameter
1 x Towing Hook with air release remote system from 3 points – Mampaey, S.W.L. 45t

DATE:10.05.17

SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE OR LIABILITY



KATO POUNTA, AMPELAKIA SALAMIS 18902, TEL.(+30) 210 4095000, FAX.(+30) 210 4095010

E-MAIL: info@spanopoulos-group.com

URL :www.spanopoulos-group.com